

Film Capacitors

Metallized Polyester Film Capacitors (MKT)

Series/Type: B32520 ... B32529

Date: June 2018

© EPCOS AG 2018. Reproduction, publication and dissemination of this publication, enclosures hereto and the information contained therein without EPCOS' prior express consent is prohibited.

EPCOS AG is a TDK Group Company.

General purpose (stacked/wound)

Typical applications

- Blocking
- Coupling, decoupling
- Bypassing
- RFI for automotive

Climatic

- Max. operating temperature: 125 °C
- Climatic category (IEC 60068-1:2013): 55/125/56

Construction

- Dielectric: polyethylene terephthalate (polyester, PET)
- Stacked-film technology for lead spacing 5 to 15 mm (= code C, D or E in digit 7 of ordering code)
- Wound capacitor technology for lead spacing 10 to 37.5 mm (= code N, Q or R in digit 7 of ordering code)
- Plastic case (UL 94 V-0)
- Epoxy resin sealing (UL 94 V-0)

Features

- High pulse strength
- High contact reliability
- RoHS-compatible
- Halogen-free capacitors available on request
- AEC-Q200D compliant

Terminals

- Parallel wire leads, lead-free tinned
- Special lead lengths available on request


Marking

Manufacturer's logo, rated capacitance (coded), cap. tolerance (code letter), rated DC voltage, date of manufacture (coded), coded type ("1") for lead spacing 5 mm, series and lot number for lead spacing ≥10 mm

Delivery mode

Bulk (untaped)
Taped (Ammo pack or reel)
For notes on taping, refer to chapter
"Taping and packing".

Dimensional drawing




Dimensions in mm

Lead spacing	Lead diameter	Туре
<i>e</i> ±0.4	d ₁ ±0.05	
5.0	0.5	B32529
7.5	0.5	B32520
10.0	0.61)	B32521
15.0	0.8	B32522
22.5	0.8	B32523
27.5	0.8	B32524
37.5	1.0	B32526

1) 0.5 mm for capacitor width w = 4 mm







Overview of available types

Lead spacing	Lead spacing 5.0 mm						7.5 mm 10.0 mm								
Туре	B32	529					B325	520			B32521				
Page	6						9			10					
Technology	S	S	s	s	s	S	S	s	s	s	s	s	s	s	S
V _R (V DC)	50	63	100	250	400	630	63	100	250	400	63	100	250	400	630
V _{RMS} (V AC)	32	40	63	160	200	400	40	63	160	200	40	63	160	200	200
C _R (μF)															
0.0010															
0.0015															
0.0022															
0.0033															
0.0047															
0.0068															
0.010															
0.015															
0.022															
0.033															
0.047															
0.056															
0.068															
0.082															
0.10															
0.12															
0.15															
0.18															
0.22															
0.33															
0.47															
0.68															
1.0															
1.5															
2.2															
3.3															
4.7															

Technology: s = Stacked-film technology / w = Wound capacitor technology






General purpose (stacked/wound)

Overview of available types

Lead spacing						22.5	mm				27.5 mm					
Туре	B32	522					B32	523				B32	524			
Page	12						14				15					
Technology	s	s/w	s/w	S	W	s	W	W	W	W	W	W	W	W	W	W
V _R (V DC)	63	100	250	400	450	630	63	100	250	400	630	63	100	250	400	630
V _{RMS} (V AC)	40	63	160	200	200	200	40	63	160	200	200	40	63	160	200	220
C _R (μF)																
0.047																
0.068																
0.10																
0.15																
0.22																
0.33																
0.39																
0.47																
0.56																
0.68																
1.0																
1.5																
2.2																
3.3																
4.7																
6.8																
10																
15																
22																
33																
47																
68																
100																

Technology: s = Stacked-film technology / w = Wound capacitor technology







Overview of available types

Lead spacing	37.5 mm			
Туре	B32526			
Page	17			
Technology	w	W	W	W
V _R (V DC)	63	100	250	400
V _{RMS} (V AC)	40	63	160	200
C _R (μF)				
3.3				
4.7				
5.6				
6.8				
8.2				
10				
15				
22				
33				
47				
56				
68				
82				
100				
150				
220				

Technology: s = Stacked-film technology / w = Wound capacitor technology





General purpose (stacked)

Ordering codes and packing units (lead spacing 5 mm)

$\overline{V_R}$	V_{RMS}	C _R	Max. dimensions	Ordering code	Ammo	Reel	Untaped
	f ≤60 Hz		$w \times h \times I$	(composition see	pack		
V DC	V AC	μF	mm	below)	pcs./MOQ	pcs./MOQ	pcs./MOQ
50	32	3.3	$7.8 \times 13.0 \times 7.8$	B32529D5335+***	4000	3200	4000
		4.7	$7.8 \times 13.0 \times 7.8$	B32529D5475M***	4000	3200	4000
63	40	0.0010	$2.5 \times 6.5 \times 7.3$	B32529C0102+***	12800	11200	8000
		0.0015	$2.5 \times 6.5 \times 7.3$	B32529C0152+***	12800	11200	8000
		0.0022	$2.5 \times 6.5 \times 7.3$	B32529C0222+***	12800	11200	8000
		0.0033	$2.5 \times 6.5 \times 7.3$	B32529C0332+***	12800	11200	8000
		0.0047	$2.5 \times 6.5 \times 7.3$	B32529C0472+***	12800	11200	8000
		0.0068	$2.5 \times 6.5 \times 7.3$	B32529C0682+***	12800	11200	8000
		0.010	$2.5 \times 6.5 \times 7.3$	B32529C0103+***	12800	11200	8000
		0.015	$2.5 \times 6.5 \times 7.3$	B32529C0153+***	12800	11200	8000
		0.022	$2.5 \times 6.5 \times 7.3$	B32529C0223+***	12800	11200	8000
		0.033	$2.5 \times 6.5 \times 7.3$	B32529C0333+***	12800	11200	8000
		0.047	$2.5 \times 6.5 \times 7.3$	B32529C0473+***	12800	11200	8000
		0.068	$2.5 \times 6.5 \times 7.3$	B32529C0683+***	12800	11200	8000
		0.10	$2.5 \times 6.5 \times 7.3$	B32529C0104+***	12800	11200	8000
		0.15	$2.5 \times 6.5 \times 7.3$	B32529C0154+***	12800	11200	8000
		0.22	$2.5 \times 6.5 \times 7.3$	B32529C0224+***	12800	11200	8000
		0.33	$3.0 \times 6.5 \times 7.3$	B32529C0334+***	10800	9600	8000
		0.47	$3.5 \times 8.0 \times 7.3$	B32529C0474+***	9200	8000	8000
		0.68	$4.5 \times 9.5 \times 7.3$	B32529C0684+***	7200	6000	6000
		1.0	$4.5 \times 9.5 \times 7.3$	B32529C0105+***	7200	6000	6000
		1.5	$6.0\times10.5\times7.5$	B32529C0155+***	5200	4400	4000
		2.2	$7.8\times13.0\times7.8$	B32529D0225+***	4000	3200	4000
100	63	0.0010	$2.5 \times 6.5 \times 7.3$	B32529C1102+***	12800	11200	8000
		0.0015	$2.5 \times 6.5 \times 7.3$	B32529C1152+***	12800	11200	8000
		0.0022	$2.5 \times 6.5 \times 7.3$	B32529C1222+***	12800	11200	8000
		0.0033	$2.5 \times 6.5 \times 7.3$	B32529C1332+***	12800	11200	8000
		0.0047	$2.5 \times 6.5 \times 7.3$	B32529C1472+***	12800	11200	8000
		0.0068	$2.5 \times 6.5 \times 7.3$	B32529C1682+***	12800	11200	8000
		0.010	$2.5 \times 6.5 \times 7.3$	B32529C1103+***	12800	11200	8000
		0.015	$2.5 \times 6.5 \times 7.3$	B32529C1153+***	12800	11200	8000

MOQ = Minimum Order Quantity, consisting of 4 packing units.

Further E series and intermediate capacitance values on request.

Composition of ordering code

+ = Capacitance tolerance code:

 $M = \pm 20\%$

 $K = \pm 10\%$


 $J = \pm 5\%$

*** = Packaging code:

289 = Ammo pack

189 = Reel







Ordering codes and packing units (lead spacing 5 mm)

V_R	V_{RMS}	C _R	Max. dimensions	Ordering code	Ammo	Reel	Untaped
	f ≤60 Hz		$w \times h \times l$	(composition see	pack		
V DC	V AC	μF	mm	below)	pcs./MOQ	pcs./MOQ	pcs./MOQ
100	63	0.022	$2.5 \times 6.5 \times 7.3$	B32529C1223+***	12800	11200	8000
		0.033	$2.5 \times 6.5 \times 7.3$	B32529C1333+***	12800	11200	8000
		0.047	$2.5 \times 6.5 \times 7.3$	B32529C1473+***	12800	11200	8000
		0.068	$2.5 \times 6.5 \times 7.3$	B32529C1683+***	12800	11200	8000
		0.10	$2.5 \times 6.5 \times 7.3$	B32529C1104+***	12800	11200	8000
		0.15	$3.0 \times 6.5 \times 7.3$	B32529C1154+***	10800	9600	8000
		0.22	$3.5 \times 8.0 \times 7.3$	B32529C1224+***	9200	8000	8000
		0.33	$3.5 \times 8.0 \times 7.3$	B32529C1334+***	9200	8000	8000
		0.47	$4.5 \times 9.5 \times 7.3$	B32529C1474+***	7200	6000	6000
		0.68	$6.0\times10.5\times7.5$	B32529C1684+***	5200	4400	4000
		1.0	$7.8\times13.0\times7.8$	B32529D1105+***	4000	3200	4000
250	160	0.0010	$2.5 \times 6.5 \times 7.3$	B32529C3102+***	12800	11200	8000
		0.0015	$2.5 \times 6.5 \times 7.3$	B32529C3152+***	12800	11200	8000
		0.0022	$2.5 \times 6.5 \times 7.3$	B32529C3222+***	12800	11200	8000
		0.0033	$2.5 \times 6.5 \times 7.3$	B32529C3332+***	12800	11200	8000
		0.0047	$2.5 \times 6.5 \times 7.3$	B32529C3472+***	12800	11200	8000
		0.0068	$2.5 \times 6.5 \times 7.3$	B32529C3682+***	12800	11200	8000
		0.010	$2.5 \times 6.5 \times 7.3$	B32529C3103+***	12800	11200	8000
		0.015	$2.5 \times 6.5 \times 7.3$	B32529C3153+***	12800	11200	8000
		0.022	$2.5 \times 6.5 \times 7.3$	B32529C3223+***	12800	11200	8000
		0.033	$3.0 \times 6.5 \times 7.3$	B32529C3333+***	10800	9600	8000
		0.047	$3.5 \times 8.0 \times 7.3$	B32529C3473+***	9200	8000	8000
		0.068	$4.5 \times 9.5 \times 7.3$	B32529C3683+***	7200	6000	6000
		0.10	$4.5 \times 9.5 \times 7.3$	B32529C3104+***	7200	6000	6000
		0.15	$5.0\times10.0\times7.5$	B32529C3154+***	6400	5600	6000
		0.22	$7.8\times13.0\times7.8$	B32529D3224+***	4000	3200	4000
		0.33	$7.8\times13.0\times7.8$	B32529C3334+***	4000	3200	4000
		0.47	$7.8\times13.0\times7.8$	B32529C3474+***	4000	3200	4000

MOQ = Minimum Order Quantity, consisting of 4 packing units. Further E series and intermediate capacitance values on request.

Composition of ordering code

+ = Capacitance tolerance code:

 $M = \pm 20\%$

 $K = \pm 10\%$

 $J = \pm 5\%$

*** = Packaging code:

289 = Ammo pack

189 = Reel





General purpose (stacked)

Ordering codes and packing units (lead spacing 5 mm)

V_R	V_{RMS}	C _R	Max. dimensions	Ordering code	Ammo	Reel	Untaped
	f ≤60 Hz		$w \times h \times I$	(composition see	pack		
V DC	V AC	μF	mm	below)	pcs./MOQ	pcs./MOQ	pcs./MOQ
400	200	0.0010	$2.5 \times 6.5 \times 7.3$	B32529C6102+***	12800	11200	8000
		0.0015	$2.5 \times 6.5 \times 7.3$	B32529C6152+***	12800	11200	8000
		0.0022	$2.5 \times 6.5 \times 7.3$	B32529C6222+***	12800	11200	8000
		0.0033	$2.5 \times 6.5 \times 7.3$	B32529C6332+***	12800	11200	8000
		0.0047	$2.5 \times 6.5 \times 7.3$	B32529C6472+***	12800	11200	8000
		0.0068	$2.5 \times 6.5 \times 7.3$	B32529C6682+***	12800	11200	8000
		0.010	$3.0 \times 6.5 \times 7.3$	B32529E6103+***	10800	9600	8000
		0.015	$3.0 \times 6.5 \times 7.3$	B32529E6153+***	10800	9600	8000
		0.022	$3.5 \times 8.0 \times 7.3$	B32529E6223+***	9200	8000	8000
		0.033	$4.5 \times 9.5 \times 7.3$	B32529E6333+***	7200	6000	6000
		0.047	$4.5 \times 9.5 \times 7.3$	B32529E6473+***	7200	6000	6000
		0.068	$6.0\times10.5\times7.5$	B32529E6683+***	5200	4400	4000
		0.10	$7.8\times13.0\times7.8$	B32529E6104+***	4000	3200	4000
		0.15	$7.8\times13.0\times7.8$	B32529E6154+***	4000	3200	4000
630	400	0.0010	$2.5 \times 6.5 \times 7.3$	B32529C8102+***	12800	11200	8000
		0.0015	$2.5 \times 6.5 \times 7.3$	B32529C8152+***	12800	11200	8000
		0.0022	$2.5 \times 6.5 \times 7.3$	B32529C8222+***	12800	11200	8000
		0.0033	$3.5 \times 8.0 \times 7.3$	B32529C8332+***	9200	8000	8000
		0.0047	$3.5 \times 8.0 \times 7.3$	B32529C8472+***	9200	8000	8000
		0.0068	$3.5 \times 8.0 \times 7.3$	B32529C8682+***	9200	8000	8000
		0.010	$5.0\times10.0\times7.5$	B32529C8103+***	6400	5600	6000
		0.015	$5.0\times10.0\times7.5$	B32529C8153+***	6400	5600	6000
		0.022	$7.8\times13.0\times7.8$	B32529C8223+***	5200	4400	4000
		0.033	$7.8\times13.0\times7.8$	B32529C8333+***	4000	3200	4000

MOQ = Minimum Order Quantity, consisting of 4 packing units.

Further E series and intermediate capacitance values on request.

Composition of ordering code

+ = Capacitance tolerance code:

 $M = \pm 20\%$

 $K = \pm 10\%$


 $J = \pm 5\%$

*** = Packaging code:

289 = Ammo pack

189 = Reel







Ordering codes and packing units (lead spacing 7.5 mm)

V_R	V_{RMS}	C _R	Max. dimensions	Ordering code	Ammo	Reel	Untaped
	f ≤60 Hz		$w \times h \times I$	(composition see	pack		
V DC	V AC	μF	mm	below)	pcs./MOQ	pcs./MOQ	pcs./MOQ
63	40	0.47	$3.0 \times 8.0 \times 10.0$	B32520C0474+***	10400	9600	8000
		0.68	$4.0 \times 8.5 \times 10.0$	B32520C0684+***	8000	7200	6000
		1.0	$5.0\times10.5\times10.0$	B32520C0105+***	6400	5600	4000
		1.5	$5.0\times10.5\times10.0$	B32520C0155+***	6400	5600	4000
		2.2	$6.0\times12.0\times10.3$	B32520C0225+***	5200	4400	3000
100	63	0.15	$3.0 \times 8.0 \times 10.0$	B32520C1154+***	10400	9600	8000
		0.22	$3.0 \times 8.0 \times 10.0$	B32520C1224+***	10400	9600	8000
		0.33	$4.0 \times 8.5 \times 10.0$	B32520C1334+***	8000	7200	6000
		0.47	$5.0\times10.5\times10.0$	B32520C1474+***	6400	5600	4000
		0.68	$6.0 \times 12.0 \times 10.3$	B32520C1684+***	5200	4400	3000
		1.0	$6.0\times12.0\times10.3$	B32520C1105+***	5200	4400	3000
250	160	0.068	$3.0 \times 8.0 \times 10.0$	B32520C3683+***	10400	9600	8000
		0.10	$4.0 \times 8.5 \times 10.0$	B32520C3104+***	8000	7200	6000
		0.15	$5.0\times10.5\times10.0$	B32520C3154+***	6400	5600	4000
		0.22	$6.0\times12.0\times10.3$	B32520C3224+***	5200	4400	3000
400	200	0.015	$3.0 \times 8.0 \times 10.0$	B32520E6153+***	10400	9600	8000
		0.022	$3.0 \times 8.0 \times 10.0$	B32520E6223+***	10400	9600	8000
		0.033	$4.0 \times 8.5 \times 10.0$	B32520E6333+***	8000	7200	6000
		0.047	$4.0 \times 8.5 \times 10.0$	B32520E6473+***	8000	7200	6000
		0.068	$5.0\times10.5\times10.0$	B32520E6683+***	6400	5600	4000
		0.10	$5.0\times10.5\times10.0$	B32520E6104+***	6400	5600	4000
		0.15	$6.0\times12.0\times10.3$	B32520E6154+***	5200	4400	3000

MOQ = Minimum Order Quantity, consisting of 4 packing units.

Further E series and intermediate capacitance values on request.

Composition of ordering code

+ = Capacitance tolerance code:

 $M = \pm 20\%$

 $K = \pm 10\%$

 $J = \pm 5\%$

*** = Packaging code:

289 = Ammo pack

189 = Reel





General purpose (stacked/wound)

Ordering codes and packing units (lead spacing 10 mm)

$\overline{V_R}$	V_{RMS}	C _R	Max. dimensions	Ordering code	Ammo	Reel	Untaped
	f ≤60 Hz		$w \times h \times I$	(composition see	pack		
V DC	V AC	μF	mm	below)	pcs./MOQ	pcs./MOQ	pcs./MOQ
63	40	0.47	$4.0 \times 7.0 \times 13.0$	B32521C0474+***	4000	6800	4000
		0.68	$4.0 \times 7.0 \times 13.0$	B32521C0684+***	4000	6800	4000
		1.0	$4.0 \times 9.0 \times 13.0$	B32521C0105+***	4000	6800	4000
		1.5	$5.0 \times 11.0 \times 13.0$	B32521C0155+***	3320	5200	4000
		2.2	$5.0 \times 11.0 \times 13.0$	B32521C0225+***	3320	5200	4000
		3.3	$6.0 \times 12.0 \times 13.0$	B32521C0335+***	2720	4400	4000
100	63	0.047	$4.0 \times 7.0 \times 13.0$	B32521C1473+***	4000	6800	4000
		0.068	$4.0 \times 7.0 \times 13.0$	B32521C1683+***	4000	6800	4000
		0.10	$4.0 \times 7.0 \times 13.0$	B32521C1104+***	4000	6800	4000
		0.15	$4.0 \times 7.0 \times 13.0$	B32521C1154+***	4000	6800	4000
		0.22	$4.0 \times 7.0 \times 13.0$	B32521C1224+***	4000	6800	4000
		0.33	$4.0 \times 7.0 \times 13.0$	B32521C1334+***	4000	6800	4000
		0.47	$4.0 \times 9.0 \times 13.0$	B32521C1474+***	4000	6800	4000
		0.68	$5.0 \times 11.0 \times 13.0$	B32521C1684+***	3320	5200	4000
		1.0	$6.0 \times 12.0 \times 13.0$	B32521C1105+***	2720	4400	4000
250	160	0.010	$4.0 \times 7.0 \times 13.0$	B32521C3103+***	4000	6800	4000
		0.015	$4.0 \times 7.0 \times 13.0$	B32521C3153+***	4000	6800	4000
		0.022	$4.0 \times 7.0 \times 13.0$	B32521C3223+***	4000	6800	4000
		0.033	$4.0 \times 7.0 \times 13.0$	B32521C3333+***	4000	6800	4000
		0.047	$4.0 \times 7.0 \times 13.0$	B32521C3473+***	4000	6800	4000
		0.056	$4.0 \times 7.0 \times 13.0$	B32521C3563+***	4000	6800	4000
		0.068	$4.0 \times 7.0 \times 13.0$	B32521C3683+***	4000	6800	4000
		0.082	$4.0 \times 7.0 \times 13.0$	B32521C3823+***	4000	6800	4000
		0.10	$4.0 \times 7.0 \times 13.0$	B32521C3104+***	4000	6800	4000
		0.12	$4.0 \times 9.0 \times 13.0$	B32521C3124+***	4000	6800	4000
		0.15	$4.0 \times 9.0 \times 13.0$	B32521C3154+***	4000	6800	4000
		0.18	$5.0 \times 11.0 \times 13.0$	B32521C3184+***	3320	5200	4000
		0.22	$5.0 \times 11.0 \times 13.0$	B32521C3224+***	3320	5200	4000
		0.33	$5.0 \times 11.0 \times 13.0$	B32521C3334+***	3320	5200	4000
		0.47	$6.0 \times 12.0 \times 13.0$	B32521C3474+***	2720	4400	4000

MOQ = Minimum Order Quantity, consisting of 4 packing units. Further E series and intermediate capacitance values on request.

Composition of ordering code

+ = Capacitance tolerance code:

 $M = \pm 20\%$

 $K = \pm 10\%$


 $J = \pm 5\%$

*** = Packaging code:

289 = Ammo pack

189 = Reel







Ordering codes and packing units (lead spacing 10 mm)

$\overline{V_R}$	V_{RMS}	C _R	Max. dimensions	Ordering code	Ammo	Reel	Untaped
	f ≤60 Hz		$w \times h \times I$	(composition see	pack		
V DC	V AC	μF	mm	below)	pcs./MOQ	pcs./MOQ	pcs./MOQ
400	200	0.010	$4.0 \times 7.0 \times 13.0$	B32521E6103+***	4000	6800	4000
		0.015	$4.0 \times 7.0 \times 13.0$	B32521E6153+***	4000	6800	4000
		0.022	$4.0 \times 7.0 \times 13.0$	B32521E6223+***	4000	6800	4000
		0.033	$4.0 \times 7.0 \times 13.0$	B32521E6333+***	4000	6800	4000
		0.047	$4.0 \times 9.0 \times 13.0$	B32521E6473+***	4000	6800	4000
		0.068	$4.0 \times 9.0 \times 13.0$	B32521E6683+***	4000	6800	4000
		0.10	$5.0 \times 11.0 \times 13.0$	B32521E6104+***	3320	5200	4000
		0.15	$6.0 \times 12.0 \times 13.0$	B32521E6154+***	2720	4400	4000
630	200	0.010	$4.0 \times 9.0 \times 13.0$	B32521D8103+***	_	6800	4000
		0.015	$5.0 \times 11.0 \times 13.0$	B32521D8153+***	_	6800	4000
		0.022	$5.0 \times 11.0 \times 13.0$	B32521D8223+***	_	5200	4000
		0.033	$6.0 \times 12.0 \times 13.0$	B32521D8333+***	_	5200	4000

MOQ = Minimum Order Quantity, consisting of 4 packing units. Further E series and intermediate capacitance values on request.

Composition of ordering code

+ = Capacitance tolerance code:

 $M = \pm 20\%$

 $K = \pm 10\%$

 $J = \pm 5\%$

*** = Packaging code:

289 = Ammo pack

189 = Reel





General purpose (stacked/wound)

Ordering codes and packing units (lead spacing 15 mm)

V_R	V_{RMS}	C _R		Max. dimensions	Ordering code	Ammo	Reel	Untaped
	f ≤60 Hz			$w \times h \times I$	(composition see	pack	pcs./	pcs./
V DC	V AC	μF		mm	below)	pcs./MOQ	MOQ	MOQ
63	40	0.68		$5.0\times10.5\times18.0$	B32522C0684+***	4680	5200	4000
		1.0		$5.0\times10.5\times18.0$	B32522C0105+***	4680	5200	4000
		1.5		$5.0\times10.5\times18.0$	B32522C0155+***	4680	5200	4000
		2.2		$5.0\times10.5\times18.0$	B32522C0225+***	4680	5200	4000
		3.3		$6.0\times11.0\times18.0$	B32522C0335+***	3840	4400	4000
		4.7		$7.0\times12.5\times18.0$	B32522C0475+***	3320	3600	4000
		6.8		$8.5\times14.5\times18.0$	B32522C0685+***	2720	2800	2000
		10		$9.0\times17.5\times18.0$	B32522C0106+***	2560	2800	2000
100	63	0.33		$5.0\times10.5\times18.0$	B32522C1334+***	4680	5200	4000
		0.47		$5.0\times10.5\times18.0$	B32522C1474+***	4680	5200	4000
		0.68		$5.0\times10.5\times18.0$	B32522C1684+***	4680	5200	4000
		1.0		$5.0\times10.5\times18.0$	B32522C1105+***	4680	5200	4000
		1.0	∇	$6.0\times11.0\times18.0$	B32522Q1105+***	3840	4400	4000
		1.5		$6.0\times11.0\times18.0$	B32522C1155+***	3840	4400	4000
		1.5	∇	$7.0\times12.5\times18.0$	B32522Q1155+***	3320	3600	4000
		2.2		$7.0\times12.5\times18.0$	B32522C1225+***	3320	3600	4000
		2.2	∇	$8.5\times14.5\times18.0$	B32522Q1225+***	2720	2800	2000
		3.3		$8.5\times14.5\times18.0$	B32522C1335+***	2720	2800	2000
		3.3	∇	$9.0\times17.5\times18.0$	B32522Q1335+***	2560	2800	2000
		4.7		$9.0\times17.5\times18.0$	B32522C1475+***	2560	2800	2000
		4.7	∇	$11.0\times18.5\times18.0$	B32522Q1475+***	_	2200	1200
		6.8		$11.0\times18.5\times18.0$	B32522C1685+***	_	_	1200
250	160	0.10		$5.0\times10.5\times18.0$	B32522C3104+***	4680	5200	4000
		0.15		$5.0\times10.5\times18.0$		4680	5200	4000
		0.22		$5.0\times10.5\times18.0$	B32522C3224+***	4680	5200	4000
		0.33		$5.0\times10.5\times18.0$	B32522C3334+***	4680	5200	4000
		0.39		$5.0\times10.5\times18.0$		4680	5200	4000
		0.47		$6.0\times11.0\times18.0$	B32522C3474+***	3840	4400	4000
		0.56		$7.0\times12.5\times18.0$	B32522C3564+***	3320	3600	4000

∇ Wound capacitor technology

MOQ = Minimum Order Quantity, consisting of 4 packing units. Further E series and intermediate capacitance values on request.

Composition of ordering code

+ = Capacitance tolerance code:

 $M = \pm 20\%$

 $K = \pm 10\%$

 $J = \pm 5\%$

*** = Packaging code:

289 = Ammo pack

189 = Reel





General purpose (stacked/wound)

Ordering codes and packing units (lead spacing 15 mm)

V_R	V_{RMS}	C _R	Max. dimensions	Ordering code	Ammo	Reel	Untaped
	f ≤60 Hz		$w \times h \times I$	(composition see	pack	pcs./	pcs./
V DC	V AC	μF	mm	below)	pcs./MOQ	MOQ	MOQ
250	160	0.68	$7.0\times12.5\times18.0$	B32522C3684+***	3320	3600	4000
		1.0	$8.5 \times 14.5 \times 18.0$	B32522C3105+***	2720	2800	2000
		1.0 ∇	$8.5 \times 14.5 \times 18.0$	B32522N3105+***	2720	2800	2000
		1.5	$9.0 \times 17.5 \times 18.0$	B32522C3155+***	2560	2800	2000
		1.5 ∇	$9.0 \times 17.5 \times 18.0$	B32522N3155+***	2560	2800	2000
		2.2	$11.0\times18.5\times18.0$	B32522C3225+***	_	_	1200
400	200	0.047	$5.0 \times 10.5 \times 18.0$	B32522E6473+***	4680	5200	4000
		0.068	$5.0\times10.5\times18.0$	B32522E6683+***	4680	5200	4000
		0.10	$5.0\times10.5\times18.0$	B32522E6104+***	4680	5200	4000
		0.15	$5.0\times10.5\times18.0$	B32522E6154+***	4680	5200	4000
		0.22	$6.0 \times 11.0 \times 18.0$	B32522E6224+***	3840	4400	4000
		0.33	$7.0 \times 12.5 \times 18.0$	B32522E6334+***	3320	3600	4000
		0.39	$9.0 \times 17.5 \times 18.0$	B32522E6394+***	2560	2800	2000
		0.47	$9.0 \times 17.5 \times 18.0$	B32522E6474+***	2560	2800	2000
		0.56	$9.0 \times 17.5 \times 18.0$	B32522E6564+***	2560	2800	2000
		0.68	$9.0 \times 17.5 \times 18.0$	B32522E6684+***	2560	2800	2000
		1.0	$11.0\times18.5\times18.0$	B32522E6105+***	_	_	1200
450	200	0.10 ∇	$5.0 \times 10.5 \times 18.0$	B32522N6104+***	4680	5200	4000
		0.15 ∇	$5.0\times10.5\times18.0$	B32522N6154+***	4680	5200	4000
		0.22 ∇	$6.0 \times 11.0 \times 18.0$	B32522N6224+***	3840	4400	4000
		0.33 ∇	$7.0 \times 12.5 \times 18.0$	B32522N6334+***	3320	3600	4000
		0.47 ∇	$8.5\times14.5\times18.0$	B32522N6474+***	2720	2800	2000
		0.68 ∇	$9.0 \times 17.5 \times 18.0$	B32522N6684+***	2560	2800	2000
		1.0 ∇	$11.0\times18.5\times18.0$	B32522N6105+***	_	2200	1200
630	200	0.047	$5.0 \times 10.5 \times 18.0$	B32522D8473+***	_	5200	4000
		0.068	$6.0 \times 11.0 \times 18.0$	B32522D8683+***	_	4400	4000
		0.10	$7.0 \times 12.5 \times 18.0$	B32522D8104+***	_	3600	4000
		0.15	$8.5 \times 14.5 \times 18.0$	B32522D8154+***	_	2800	2000
		0.22	$9.0\times17.5\times18.0$	B32522D8224+***	_	2800	2000

∇ Wound capacitor technology

MOQ = Minimum Order Quantity, consisting of 4 packing units. Further E series and intermediate capacitance values on request.

Composition of ordering code

+ = Capacitance tolerance code:

 $M = \pm 20\%$

 $K = \pm 10\%$

 $J = \pm 5\%$

*** = Packaging code:

289 = Ammo pack

189 = Reel





General purpose (wound)

Ordering codes and packing units (lead spacing 22.5 mm)

V_R	V_{RMS}	C _R	Max. dimensions	Ordering code	Ammo	Reel	Untaped
	f ≤60 Hz		$w \times h \times l$	(composition see	pack		
V DC	V AC	μF	mm	below)	pcs./MOQ	pcs./MOQ	pcs./MOQ
63	40	3.3	$6.0 \times 15.0 \times 26.5$	B32523R0335+***	2720	2800	2880
		4.7	$6.0 \times 15.0 \times 26.5$	B32523R0475+***	2720	2800	2880
		6.8	$6.0 \times 15.0 \times 26.5$	B32523R0685+***	2720	2800	2880
		10	$7.0\times16.0\times26.5$	B32523R0106+***	2320	2400	2520
		15	$10.5 \times 16.5 \times 26.5$	B32523R0156+***	1560	1600	2160
		22	$12.0\times22.0\times26.5$	B32523R0226+***	_	_	1800
100	63	1.5	$6.0 \times 15.0 \times 26.5$	B32523Q1155+***	2720	2800	2880
		2.2	$6.0 \times 15.0 \times 26.5$	B32523Q1225+***	2720	2800	2880
		3.3	$6.0 \times 15.0 \times 26.5$	B32523Q1335+***	2720	2800	2880
		4.7	$7.0\times16.0\times26.5$	B32523Q1475+***	2320	2400	2520
		6.8	$8.5 \times 16.5 \times 26.5$	B32523Q1685+***	1960	2000	2040
		10	$10.5 \times 18.5 \times 26.5$	B32523Q1106+***	1560	1600	2160
		15	$12.0\times22.0\times26.5$	B32523Q1156+***	_	_	1800
250	160	0.47	$6.0 \times 15.0 \times 26.5$	•	2720	2800	2880
		0.68	$6.0 \times 15.0 \times 26.5$	B32523Q3684+***	2720	2800	2880
		1.0	$6.0 \times 15.0 \times 26.5$	B32523Q3105+***	2720	2800	2880
		1.5	$7.0\times16.0\times26.5$	B32523Q3155+***	2320	2400	2520
		2.2	$10.5 \times 16.5 \times 26.5$	B32523Q3225+***	1560	1600	2160
		3.3	$11.0\times20.5\times26.5$	B32523Q3335+***	1480	1400	2040
400	200	0.22	$6.0 \times 15.0 \times 26.5$	•	2720	2800	2880
		0.33	$6.0 \times 15.0 \times 26.5$	B32523Q6334+***	2720	2800	2880
		0.47	$7.0\times16.0\times26.5$	B32523Q6474+***	2320	2400	2520
		0.68	$8.5 \times 16.5 \times 26.5$	B32523Q6684+***	1920	2000	2040
		1.0	$10.5 \times 16.5 \times 26.5$	B32523Q6105+***	1560	1600	2160
-		1.5	$11.0\times20.5\times26.5$	B32523Q6155+***	1480	1400	2040
630	200	0.10	$6.0 \times 15.0 \times 26.5$		2720	2800	2880
		0.15	$6.0 \times 15.0 \times 26.5$	B32523Q8154+***	2720	2800	2880
		0.22	$7.0\times16.0\times26.5$	B32523Q8224+***	2320	2400	2520
		0.33	$10.5 \times 16.5 \times 26.5$		1560	1600	2160
		0.47		B32523Q8474+***	1560	1600	2160
		0.68	$12.0\times22.0\times26.5$	B32523Q8684+***	_	_	1800

MOQ = Minimum Order Quantity, consisting of 4 packing units.

Further E series and intermediate capacitance values on request.

Composition of ordering code

+ = Capacitance tolerance code:

 $M = \pm 20\%$

 $K = \pm 10\%$


 $J = \pm 5\%$

*** = Packaging code:

289 = Ammo pack

189 = Reel







Ordering codes and packing units (lead spacing 27.5 mm)

V_R	V_{RMS}	C _R	Max. dimensions	Ordering code	Ammo	Reel	Untaped
	f ≤60 Hz		$w \times h \times l$	(composition see	pack		
V DC	V AC	μF	mm	below)	pcs./MOQ	pcs./MOQ	pcs./MOQ
63	40	4.7	$11.0 \times 21.0 \times 31.5$	B32524R0475+***	_	1400	1280
		6.8	$11.0 \times 21.0 \times 31.5$	B32524Q0685+***	_	1400	1280
		10	$11.0 \times 21.0 \times 31.5$	B32524R0106+***	_	1400	1280
		15	$11.0 \times 21.0 \times 31.5$	B32524R0156+***	_	1400	1280
		22	$11.0 \times 21.0 \times 31.5$	B32524R0226+***	_	1400	1280
		33	$12.5 \times 21.5 \times 31.5$	B32524R0336+***	_	1200	1120
		47	$18.0 \times 27.5 \times 31.5$	B32524R0476+***	_	_	800
		68	$18.0 \times 27.5 \times 31.5$	B32524R0686+***	_	_	800
		100	$22.0 \times 36.5 \times 31.5$	B32524R0107+***	_	_	640
100	63	4.7	$11.0 \times 21.0 \times 31.5$	B32524Q1475+***	_	1400	1280
		6.8	$11.0 \times 21.0 \times 31.5$	B32524Q1685+***	_	1400	1280
		10	$11.0 \times 21.0 \times 31.5$		_	1400	1280
		15	$11.0 \times 21.0 \times 31.5$	B32524Q1156+***	_	1400	1280
		22	$14.0 \times 24.5 \times 31.5$	B32524Q1226+***	_	1000	1040
		33	$18.0 \times 27.5 \times 31.5$	B32524Q1336+***	_	_	800
		47	$21.0 \times 31.0 \times 31.5$	B32524Q1476+***	_	_	720
		68	$22.0 \times 36.5 \times 31.5$	B32524Q1686+***	_	_	640
250	160	1.5	$11.0 \times 21.0 \times 31.5$	· ·	_	1400	1280
		2.2	$11.0 \times 21.0 \times 31.5$		_	1400	1280
		3.3	$11.0 \times 21.0 \times 31.5$	B32524Q3335+***	_	1400	1280
		4.7	$11.0 \times 21.0 \times 31.5$	B32524Q3475+***	_	1400	1280
		6.8	$11.0 \times 21.0 \times 31.5$		_	1400	1280
		10	$12.5 \times 21.5 \times 31.5$	B32524R3106+***	_	1200	1120
		15	$15.0 \times 24.5 \times 31.5$	B32524R3156M***	_	_	960
		15	$18.0 \times 27.5 \times 31.5$		_	_	960
		15	$18.0 \times 27.5 \times 31.5$		_	_	960
		22	$19.0 \times 30.0 \times 31.5$		_	_	720
		33	$22.0 \times 36.5 \times 31.5$	B32524R3336+***	_	_	640

MOQ = Minimum Order Quantity, consisting of 4 packing units. Further E series and intermediate capacitance values on request.

Composition of ordering code

+ = Capacitance tolerance code:

 $M = \pm 20\%$

 $K = \pm 10\%$

 $J = \pm 5\%$

*** = Packaging code:

289 = Ammo pack

189 = Reel





General purpose (wound)

Ordering codes and packing units (lead spacing 27.5 mm)

V_R	V_{RMS}	C _R	Max. dimensions	Ordering code	Ammo	Reel	Untaped
	f ≤60 Hz		$w \times h \times l$	(composition see	pack		
V DC	V AC	μF	mm	below)	pcs./MOQ	pcs./MOQ	pcs./MOQ
400	200	0.68	$11.0 \times 19.0 \times 31.5$	B32524Q6684+***	_	1400	1280
		1.0	$11.0 \times 19.0 \times 31.5$	B32524Q6105+***	_	1400	1280
		1.5	$11.0 \times 19.0 \times 31.5$	B32524Q6155+***	_	1400	1280
		2.2	$11.0 \times 21.0 \times 31.5$	B32524R6225+***	_	1400	1280
		3.3	$14.0 \times 24.5 \times 31.5$	B32524R6335+***	_	1000	1040
		4.7	$14.0 \times 24.5 \times 31.5$	B32524R6475+***	_	1000	1040
		6.8	$18.0 \times 27.5 \times 31.5$	B32524R6685+***	_	_	800
		10	$22.0 \times 36.5 \times 31.5$	B32524R6106+***	_	_	640
630	220	0.33	$11.0 \times 21.0 \times 31.5$	B32524Q8334+***	_	1400	1280
		0.47	$11.0 \times 21.0 \times 31.5$	B32524Q8474+***	_	1400	1280
		0.68	$11.0 \times 21.0 \times 31.5$	B32524Q8684+***	_	1400	1280
		1.0	$14.0 \times 24.5 \times 31.5$	B32524Q8105+***	_	1000	1040
		1.5	$18.0 \times 27.5 \times 31.5$	B32524Q8155+***	_	_	800
		2.2	$21.0 \times 31.0 \times 31.5$	B32524Q8225+***	_	_	720

MOQ = Minimum Order Quantity, consisting of 4 packing units.

Further E series and intermediate capacitance values on request.

Composition of ordering code

+ = Capacitance tolerance code:

 $M = \pm 20\%$

 $K = \pm 10\%$


J = ±5%

*** = Packaging code:

289 = Ammo pack

189 = Reel







Ordering codes and packing units (lead spacing 37.5 mm)

V_R	V_{RMS}	C _R	Max. dimensions	Ordering code	Ammo	Reel	Untaped
	f ≤60 Hz		$w \times h \times l$	(composition see	pack		
V DC	V AC	μF	mm	below)	pcs./MOQ	pcs./MOQ	pcs./MOQ
63	40	22	$12.0 \times 22.0 \times 41.5$	B32526R0226+***	_	_	1620
		33	$12.0 \times 22.0 \times 41.5$	B32526R0336+***	_	_	1620
		47	$12.0 \times 22.0 \times 41.5$	B32526R0476+***	_	_	1620
		56	$24.0 \times 15.0 \times 41.5$	B32526T0566+***	_	_	1040
		68	$16.0 \times 28.5 \times 41.5$	B32526R0686+***	_	_	800
		82	$24.0 \times 19.0 \times 41.5$	B32526T0826+***	_	_	780
		100	$18.0 \times 32.5 \times 41.5$	B32526R0107+***	_	_	720
		150	$20.0 \times 39.5 \times 41.5$	B32526R0157+***	_	_	640
		220	$28.0 \times 42.5 \times 41.5$	B32526R0227A***	_	_	440
100	63	15	$12.0 \times 22.0 \times 41.5$	B32526R1156+***	_	_	1620
		22	$12.0 \times 22.0 \times 41.5$	B32526R1226+***	_	_	1620
		33	$14.0 \times 25.0 \times 41.5$	B32526R1336+***	_	_	1380
		33	$24.0 \times 15.0 \times 41.5$	B32526T1336+***	_	_	1040
		47	$16.0 \times 28.5 \times 41.5$	B32526R1476+***	_	_	800
		47	$24.0 \times 19.0 \times 41.5$	B32526T1476+***	_	_	780
		68	$18.0 \times 32.5 \times 41.5$	B32526R1686+***	_	_	720
		100	$20.0 \times 39.5 \times 41.5$	B32526R1107+***	_	_	640
		150	$28.0 \times 42.5 \times 41.5$	B32526R1157+***	_	_	440
250	160	4.7	$12.0 \times 22.0 \times 41.5$	B32526R3475+***	_	_	1620
		6.8	$12.0 \times 22.0 \times 41.5$		_	_	1620
		10	$12.0 \times 22.0 \times 41.5$	B32526R3106+***	_	_	1620
		15	$14.0 \times 25.0 \times 41.5$	B32526R3156+***	_	_	1380
		15	$24.0 \times 15.0 \times 41.5$	B32526T3156+***	_	_	1040
		22	$16.0 \times 28.5 \times 41.5$	B32526R3226+***	_	_	800
		22	$24.0 \times 19.0 \times 41.5$	B32526T3226+***	_	_	780
		33	$20.0 \times 39.5 \times 41.5$	B32526R3336+***	_	_	640
		47	$20.0 \times 39.5 \times 41.5$	B32526R3476+***	_	_	640
		68	$28.0\times42.5\times41.5$	B32526R3686+***	_	_	440

MOQ = Minimum Order Quantity, consisting of 4 packing units. Further E series and intermediate capacitance values on request.

Composition of ordering code

+ = Capacitance tolerance code:

 $M = \pm 20\%$

 $K = \pm 10\%$

 $J = \pm 5\%$

A = -15 ... +5% (220 μF type only)

*** = Packaging code:





General purpose (wound)

Ordering codes and packing units (lead spacing 37.5 mm)

$\overline{V_R}$	V_{RMS}	C _R	Max. dimensions	Ordering code	Ammo	Reel	Untaped
	f ≤60 Hz		$w \times h \times l$	(composition see	pack		
V DC	V AC	μF	mm	below)	pcs./MOQ	pcs./MOQ	pcs./MOQ
400	200	3.3	$12.0 \times 22.0 \times 41.5$	B32526R6335+***	_	_	1620
		4.7	$12.0 \times 22.0 \times 41.5$	B32526R6475+***	_	_	1620
		5.6	$24.0 \times 15.0 \times 41.5$	B32526T6565+***	_	_	1040
		6.8	$14.0 \times 25.0 \times 41.5$	B32526R6685+***	_	_	1380
		8.2	$24.0 \times 19.0 \times 41.5$	B32526T6825+***	_	_	780
		10	$18.0 \times 32.5 \times 41.5$	B32526R6106+***	_	_	720
		15	$20.0 \times 39.5 \times 41.5$	B32526R6156+***	_	_	640
		22	$28.0 \times 42.5 \times 41.5$	B32526R6226+***	_	_	440

MOQ = Minimum Order Quantity, consisting of 4 packing units.

Further E series and intermediate capacitance values on request.

Composition of ordering code

+ = Capacitance tolerance code:

 $M = \pm 20\%$


 $K = \pm 10\%$

 $J = \pm 5\%$

A = -15 ... +5% (220 µF type only)

*** = Packaging code:







Technical data

Reference standard: IEC 61071:2007. AEC-Q200D compliance on request. All data given at T = 20 °C, unless otherwise specified.

Rated temperature T_R +85 °C Operating temperature range Max. operating temperature $T_{op,max}$ +125 °C Upper category temperature T_{max} +125 °C Lower category temperature T_{min} -55 °C
Upper category temperature T _{max} +125 °C
Lower category temperature T _{min} −55 °C
J J 12 F 2 2 11 11 11 2 2 2
Rated temperature T _R +85 °C
Dissipation factor $\tan \delta$ (in 10^{-3}) at $C_R \le 0.1 \mu\text{F}$ $0.1 \mu\text{F} < C_R \le 1 \mu\text{F}$ $C_R > 1 \mu\text{F}$
at 20 °C (upper limit values) 1 kHz 8 8 10
10 kHz 15 -
100 kHz 30 - -
Insulation resistance R_{ins} V_R $C_R \le 0.33 \ \mu F$ $C_R > 0.33 \ \mu F$
or time constant $\tau = C_R \cdot R_{ins}$ $\leq 100 \text{ V DC}$ 3750 M Ω 1250 s
at 20 °C, rel. humidity \leq 65% \geq 250 V DC \mid 7500 M Ω
(minimum as-delivered values)
DC test voltage 1.4 · V _R , 2 s
Category voltage V_C T_{op} (°C) DC voltage derating AC voltage derating
(continuous operation with $V_{c,RMS} = V_{RMS}$ $V_{c,RMS} = V_{RMS}$
V_{DC} or V_{AC} at f ≤ 60 Hz) $85 < T_{op} \le 125$ $V_{C} = V_{R} \cdot (165 - T_{op})/80$ $V_{C,RMS} = V_{RMS} \cdot (165 - T_{op})/80$
Operating voltage V_{op} for V_{op} for V_{op} for V_{op} (°C) DC voltage (max. hours) AC voltage (max. hours)
short operating periods $V_{op} = 1.25 \cdot V_{C} (2000 \text{ h}) V_{op} = 1.0 \cdot V_{C,RMS} (2000 \text{ h})$
$ (V_{DC} \text{ or } V_{AC} \text{ at } f \le 60 \text{ Hz}) $ $ 100 < T_{op} \le 125 V_{op} = 1.25 \cdot V_{C} (1000 \text{ h}) V_{op} = 1.0 \cdot V_{C,RMS} (1000 \text{ h}) V_{op} = 1.0 $
Biased humidity 1000 h / 40 °C / 93% relative humidity with V _{R,DC}
Limit value after biased humidity test Capacitance change $ \Delta C/C \le 5\%$
Dissipation factor change Δ tan δ $\leq 5 \cdot 10^{-3}$ (at 1 kHz)
Insulation resistance R _{ins} ≥ 50% of minimum
or time constant $\tau = C_R \cdot R_{ins}$ as-delivered values
Reliability:
Failure rate λ 1 fit ($\leq 1 \cdot 10^{-9}$ /h) at 0.5 · V _R , 40 °C
Service life t _{SL} 200 000 h at 1.0 · V _R , 85 °C
For conversion to other operating conditions and temperatures,
Failure criteria: refer to chapter "Quality, 2 Reliability".
Total failure Short circuit or open circuit
Failure due to variation Capacitance change $ \Delta C/C $ > 10%
of parameters Dissipation factor $\tan \delta$ > 2 · upper limit value
Insulation resistance R_{ins} < 150 M Ω ($C_R \le 0.33 \mu F$)
or time constant $\tau = C_R \cdot R_{ins}$ < 50 s ($C_R > 0.33 \mu F$)





General purpose (stacked/wound)

Pulse handling capability

"dV/dt" represents the maximum permissible voltage change per unit of time for non-sinusoidal voltages, expressed in V/μs.

"k₀" represents the maximum permissible pulse characteristic of the waveform applied to the capacitor, expressed in $V^2/\mu s$.

Note:

The values of dV/dt and k_0 provided below must not be exceeded in order to avoid damaging the capacitor.

dV/dt values

Lead s	pacing	5 mm	7.5 mm	10 mm		15 mm		22.5 mm	27.5 mm	37.5 mm
Techno	ology	S	S	S	W	S	W	W	W	W
V_R	V_{RMS}									
V DC	V AC	dV/dt in \	V/μs							
50	32	200	_	_	_	_	_	_	_	_
63	40	250	120	50	_	30	_	3	1	8.0
100	63	300	150	75	_	50	5	4	3	1
250	160	400	200	150	_	100	10	8	5	4
400	200	600	275	175	_	125	_	10	8.5	6
450	200	_	_	_	_	_	20	_	_	_
630	400	800	_	320	_	150	_	15	12	_
S = Stacked, W = Wound										

k₀ values

Lead s	pacing	5 mm	7.5 mm	10 mm		15 mm		22.5 mm	27.5 mm	37.5 mm
Techno	ology	S	S	S	W	S	W	W	W	W
V_R	V_{RMS}									
V DC	V AC	k ₀ in V ² /μ	s							
50	32	20000	_	_	_	_	_	_	_	_
63	40	30000	15000	6300	_	3800	_	375	130	100
100	63	60000	30000	15000	_	10000	850	800	600	200
250	160	200000	100000	75000	_	50000	5000	4000	2500	2000
400	200	500000	220000	140000	_	100000	_	10000	8500	6000
450	200	_	_	_	_	_	15000	_	_	_
630	400	1000000	_	400000	_	190000	_	18000	15000	_
C Ct	C. Ctacked W. Wayned									

S = Stacked, W = Wound




General purpose (stacked/wound)



Impedance Z versus frequency f

(typical values)








General purpose (stacked)

Permissible AC voltage V_{RMS} versus frequency f (for sinusoidal waveforms, T_A ≤55 °C)


For T_A >55 °C, please refer to "General technical information", section 3.2.3.

Lead spacing 5 mm


50 V DC/32 V AC




63 V DC/40 V AC




100 V DC/63 V AC



250 V DC/160 V AC










Permissible AC voltage V_{RMS} versus frequency f (for sinusoidal waveforms, T_A ≤55 °C)


For $T_A > 55$ °C, please refer to "General technical information", section 3.2.3.

Lead spacing 5 mm

400 V DC/200 V AC



630 V DC/400 V AC








General purpose (stacked)

Permissible AC voltage V_{RMS} versus frequency f (for sinusoidal waveforms, T_A ≤55 °C)


For T_A >55 °C, please refer to "General technical information", section 3.2.3.

Lead spacing 7.5 mm


63 V DC/40 V AC




100 V DC/63 V AC



250 V DC/160 V AC



400 V DC/200 V AC





General purpose (stacked/wound)




Permissible AC voltage V_{RMS} versus frequency f (for sinusoidal waveforms, T_A ≤55 °C)


For T_A >55 °C, please refer to "General technical information", section 3.2.3.

Lead spacing 10 mm


63 V DC/40 V AC




100 V DC/63 V AC



250 V DC/160 V AC



400 V DC/200 V AC








General purpose (stacked/wound)

Permissible AC voltage V_{RMS} versus frequency f (for sinusoidal waveforms, $T_A \le 55$ °C)

For $T_A > 55\ ^{\circ}C$, please refer to "General technical information", section 3.2.3.


Lead spacing 10 mm

630 V DC/200 V AC












Permissible AC voltage V_{RMS} versus frequency f (for sinusoidal waveforms, T_A ≤55 °C)


For T_A >55 °C, please refer to "General technical information", section 3.2.3.

Lead spacing 15 mm


63 V DC/40 V AC




100 V DC/63 V AC



250 V DC/160 V AC



400 V DC/200 V AC








General purpose (stacked/wound)

Permissible AC voltage V_{RMS} versus frequency f (for sinusoidal waveforms, T_A ≤55 °C)


For $T_A > 55$ °C, please refer to "General technical information", section 3.2.3.

Lead spacing 15 mm


450 V DC/200 V AC



630 V DC/200 V AC










Permissible AC voltage V_{RMS} versus frequency f (for sinusoidal waveforms, T_A ≤55 °C)


For $T_A > 55$ °C, please refer to "General technical information", section 3.2.3.

Lead spacing 22.5 mm


63 V DC/40 V AC




100 V DC/63 V AC



250 V DC/160 V AC



400 V DC/200 V AC








General purpose (wound)

Permissible AC voltage V_{RMS} versus frequency f (for sinusoidal waveforms, $T_A \le 55$ °C)


For $T_A > 55\ ^{\circ}C$, please refer to "General technical information", section 3.2.3.

Lead spacing 22.5 mm

630 V DC/200 V AC










Permissible AC voltage V_{RMS} versus frequency f (for sinusoidal waveforms, T_A ≤55 °C)


For $T_A > 55$ °C, please refer to "General technical information", section 3.2.3.

Lead spacing 27.5 mm


63 V DC/40 V AC




100 V DC/63 V AC



250 V DC/160 V AC



400 V DC/200 V AC








General purpose (wound)

Permissible AC voltage V_{RMS} versus frequency f (for sinusoidal waveforms, $T_A \le 55$ °C)

For $T_A > 55\ ^{\circ}C$, please refer to "General technical information", section 3.2.3.

Lead spacing 27.5 mm

630 V DC/220 V AC







General purpose (wound)




Permissible AC voltage V_{RMS} versus frequency f (for sinusoidal waveforms, T_A ≤55 °C)


For $T_A > 55$ °C, please refer to "General technical information", section 3.2.3.

Lead spacing 37.5 mm


63 V DC/40 V AC




100 V DC/63 V AC



250 V DC/160 V AC



400 V DC/200 V AC







General purpose (stacked/wound)

Mounting guidelines

1 **Soldering**

1.1 Solderability of leads

The solderability of terminal leads is tested to IEC 60068-2-20:2008, test Ta, method 1.

Before a solderability test is carried out, terminals are subjected to accelerated ageing (to IEC 60068-2-2:2007, test Ba: 4 h exposure to dry heat at 155 °C). Since the ageing temperature is far higher than the upper category temperature of the capacitors, the terminal wires should be cut off from the capacitor before the ageing procedure to prevent the solderability being impaired by the products of any capacitor decomposition that might occur.


Solder bath temperature	235 ±5 °C
Soldering time	2.0 ±0.5 s
Immersion depth	2.0 +0/-0.5 mm from capacitor body or seating plane
Evaluation criteria:	
Visual inspection	Wetting of wire surface by new solder ≥90%, free-flowing solder

1.2 Resistance to soldering heat


Resistance to soldering heat is tested to IEC 60068-2-20:2008, test Tb, method 1. Conditions:

Series		Solder bath temperature	Soldering time
MKT	boxed (except $2.5 \times 6.5 \times 7.2$ mm) coated	260 ±5 °C	10 ±1 s
	uncoated (lead spacing >10 mm)		
MFP			
MKP	(lead spacing >7.5 mm)		
MKT	boxed (case $2.5 \times 6.5 \times 7.2$ mm)		5 ±1 s
MKP	(lead spacing ≤7.5 mm)		<4 s
MKT	uncoated (lead spacing ≤10 mm)		recommended soldering
	insulated (B32559)		profile for MKT uncoated
			(lead spacing ≤ 10 mm) and
			insulated (B32559)









Immersion depth	2.0 + 0/-0.5 mm from capacitor body or seating plane
Shield	Heat-absorbing board, (1.5 \pm 0.5) mm thick, between capacitor body and liquid solder
Evaluation criteria:	
Visual inspection	No visible damage
$\Delta C/C_0$	2% for MKT/MKP/MFP 5% for EMI suppression capacitors
$tan \delta$	As specified in sectional specification

1.3 General notes on soldering

Permissible heat exposure loads on film capacitors are primarily characterized by the upper category temperature T_{max}. Long exposure to temperatures above this type-related temperature limit can lead to changes in the plastic dielectric and thus change irreversibly a capacitor's electrical characteristics. For short exposures (as in practical soldering processes) the heat load (and thus the possible effects on a capacitor) will also depend on other factors like:

- Pre-heating temperature and time
- Forced cooling immediately after soldering
- Terminal characteristics: diameter, length, thermal resistance, special configurations (e.g. crimping)
- Height of capacitor above solder bath
- Shadowing by neighboring components
- Additional heating due to heat dissipation by neighboring components
- Use of solder-resist coatings






General purpose (stacked/wound)

The overheating associated with some of these factors can usually be reduced by suitable countermeasures. For example, if a pre-heating step cannot be avoided, an additional or reinforced cooling process may possibly have to be included.


EPCOS recommendations

As a reference, the recommended wave soldering profile for our film capacitors is as follows:



T_s: Capacitor body maximum temperature at wave soldering

T_n: Capacitor body maximum temperature at pre-heating KMK1745-A-E





General purpose (stacked/wound)



Body temperature should follow the description below:

MKP capacitor

During pre-heating: $T_p \le 110 \, ^{\circ}C$ During soldering: $T_s \le 120 \, ^{\circ}C$, $t_s \le 45 \, s$

MKT capacitor

During pre-heating: T_p ≤125 °C

During soldering: T_s ≤160 °C, t_s ≤45 s

When SMD components are used together with leaded ones, the film capacitors should not pass into the SMD adhesive curing oven. The leaded components should be assembled after the SMD curing step.

Leaded film capacitors are not suitable for reflow soldering.

In order to ensure proper conditions for manual or selective soldering, the body temperature of the capacitor (T_s) must be ≤ 120 °C.

One recommended condition for manual soldering is that the tip of the soldering iron should be <360 °C and the soldering contact time should be no longer than 3 seconds.

For uncoated MKT capacitors with lead spacings ≤10 mm (B32560/B32561) the following measures are recommended:

- pre-heating to not more than 110 °C in the preheater phase
- rapid cooling after soldering

Please refer to EPCOS Film Capacitor Data Book in case more details are needed.





General purpose (stacked/wound)

Cautions and warnings

- Do not exceed the upper category temperature (UCT).
- Do not apply any mechanical stress to the capacitor terminals.
- Avoid any compressive, tensile or flexural stress.
- Do not move the capacitor after it has been soldered to the PC board.
- Do not pick up the PC board by the soldered capacitor.
- Do not place the capacitor on a PC board whose PTH hole spacing differs from the specified lead spacing.
- Do not exceed the specified time or temperature limits during soldering.
- Avoid external energy inputs, such as fire or electricity.
- Avoid overload of the capacitors.
- Consult us if application is with severe temperature and humidity condition.
- There are no serviceable or repairable parts inside the capacitor. Opening the capacitor or any attempts to open or repair the capacitor will void the warranty and liability of EPCOS.
- Please note that the standards referred to in this publication may have been revised in the meantime.

The table below summarizes the safety instructions that must always be observed. A detailed description can be found in the relevant sections of the chapters "General technical information" and "Mounting guidelines".

Topic	Safety information	Reference chapter "General technical information"
Storage	Make sure that capacitors are stored within the specified	
conditions	range of time, temperature and humidity conditions.	"Storage conditions"
Flammability	Avoid external energy, such as fire or electricity (passive	5.3
	flammability), avoid overload of the capacitors (active	"Flammability"
	flammability) and consider the flammability of materials.	
Resistance to	Do not exceed the tested ability to withstand vibration.	5.2
vibration	The capacitors are tested to IEC 60068-2-6:2007.	"Resistance to
	EPCOS offers film capacitors specially designed for	vibration"
	operation under more severe vibration regimes such as	
	those found in automotive applications. Consult our	
	catalog "Film Capacitors for Automotive Electronics".	

Topic	Safety information	Reference chapter
		"Mounting guidelines"
Soldering	Do not exceed the specified time or temperature limits	1 "Soldering"
	during soldering.	
Cleaning	Use only suitable solvents for cleaning capacitors.	2 "Cleaning"







General purpose (stacked/wound)

Topic	Safety information	Reference chapter
		"Mounting guidelines"
Embedding of	When embedding finished circuit assemblies in plastic	3 "Embedding of
capacitors in	resins, chemical and thermal influences must be taken	capacitors in finished
finished	into account.	assemblies"
assemblies	Caution: Consult us first, if you also wish to embed other	
	uncoated component types!	

Display of ordering codes for EPCOS products

The ordering code for one and the same product can be represented differently in data sheets, data books, other publications and the website of EPCOS, or in order-related documents such as shipping notes, order confirmations and product labels. The varying representations of the ordering codes are due to different processes employed and do not affect the specifications of the respective products. Detailed information can be found on the Internet under www.epcos.com/orderingcodes.





General purpose (stacked/wound)

Symbols and terms

Symbol	English	German
α	Heat transfer coefficient	Wärmeübergangszahl
α_{C}	Temperature coefficient of capacitance	Temperaturkoeffizient der Kapazität
Α	Capacitor surface area	Kondensatoroberfläche
$eta_{ extsf{C}}$	Humidity coefficient of capacitance	Feuchtekoeffizient der Kapazität
С	Capacitance	Kapazität
C_R	Rated capacitance	Nennkapazität
ΔC	Absolute capacitance change	Absolute Kapazitätsänderung
ΔC/C	Relative capacitance change (relative deviation of actual value)	Relative Kapazitätsänderung (relative Abweichung vom Ist-Wert)
$\Delta C/C_R$	Capacitance tolerance (relative deviation	
	from rated capacitance)	vom Nennwert)
dt	Time differential	Differentielle Zeit
Δt	Time interval	Zeitintervall
ΔΤ	Absolute temperature change (self-heating)	Absolute Temperaturänderung (Selbsterwärmung)
$\Delta tan \delta$	Absolute change of dissipation factor	Absolute Änderung des Verlustfaktors
ΔV	Absolute voltage change	Absolute Spannungsänderung
dV/dt	Time differential of voltage function (rate of voltage rise)	Differentielle Spannungsänderung (Spannungsflankensteilheit)
ΔV/Δt	Voltage change per time interval	Spannungsänderung pro Zeitintervall
E	Activation energy for diffusion	Aktivierungsenergie zur Diffusion
ESL	Self-inductance	Eigeninduktivität
ESR	Equivalent series resistance	Ersatz-Serienwiderstand
f	Frequency	Frequenz
f ₁	Frequency limit for reducing permissible AC voltage due to thermal limits	Grenzfrequenz für thermisch bedingte Reduzierung der zulässigen Wechselspannung
f_2	Frequency limit for reducing permissible AC voltage due to current limit	Grenzfrequenz für strombedingte Reduzierung der zulässigen Wechselspannung
f_r	Resonant frequency	Resonanzfrequenz
F_D	Thermal acceleration factor for diffusion	Therm. Beschleunigungsfaktor zur Diffusion
F_T	Derating factor	Deratingfaktor
i	Current (peak)	Stromspitze
I _C	Category current (max. continuous current)	Kategoriestrom (max. Dauerstrom)





General purpose (stacked/wound)

Symbol	English	German
I _{RMS}	(Sinusoidal) alternating current,	(Sinusförmiger) Wechselstrom
	root-mean-square value	
i _z	Capacitance drift	Inkonstanz der Kapazität
k_0	Pulse characteristic	Impulskennwert
Ls	Series inductance	Serieninduktivität
λ	Failure rate	Ausfallrate
λ_{0}	Constant failure rate during useful	Konstante Ausfallrate in der
	service life	Nutzungsphase
λ_{test}	Failure rate, determined by tests	Experimentell ermittelte Ausfallrate
P_{diss}	Dissipated power	Abgegebene Verlustleistung
P_{gen}	Generated power	Erzeugte Verlustleistung
Q	Heat energy	Wärmeenergie
ρ	Density of water vapor in air	Dichte von Wasserdampf in Luft
R	Universal molar constant for gases	Allg. Molarkonstante für Gas
R	Ohmic resistance of discharge circuit	Ohmscher Widerstand des
		Entladekreises
R_i	Internal resistance	Innenwiderstand
R _{ins}	Insulation resistance	Isolationswiderstand
R_P	Parallel resistance	Parallelwiderstand
R_s	Series resistance	Serienwiderstand
S	severity (humidity test)	Schärfegrad (Feuchtetest)
t	Time	Zeit
Т	Temperature	Temperatur
τ	Time constant	Zeitkonstante
tan δ	Dissipation factor	Verlustfaktor
tan $\delta_{\scriptscriptstyle D}$	Dielectric component of dissipation factor	Dielektrischer Anteil des Verlustfaktors
tan δ _P	Parallel component of dissipation factor	Parallelanteil des Verlfustfaktors
tan $\delta_{ extsf{S}}$	Series component of dissipation factor	Serienanteil des Verlustfaktors
T_A	Temperature of the air surrounding the component	Temperatur der Luft, die das Bauteil umgibt
T_{max}	Upper category temperature	Obere Kategorietemperatur
T _{min}	Lower category temperature	Untere Kategorietemperatur
t _{OL}	Operating life at operating temperature	Betriebszeit bei Betriebstemperatur und
	and voltage	-spannung
T _{op}	Operating temperature, $T_A + \Delta T$	Beriebstemperatur, $T_A + \Delta T$
T _R	Rated temperature	Nenntemperatur
T _{ref}	Reference temperature	Referenztemperatur
t _{SL}	Reference service life	Referenz-Lebensdauer





General purpose (stacked/wound)

Symbol	English	German
V_{AC}	AC voltage	Wechselspannung
V_{C}	Category voltage	Kategoriespannung
$V_{C,RMS}$	Category AC voltage	(Sinusförmige)
		Kategorie-Wechselspannung
V_{CD}	Corona-discharge onset voltage	Teilentlade-Einsatzspannung
V_{ch}	Charging voltage	Ladespannung
V_{DC}	DC voltage	Gleichspannung
$V_{\sf FB}$	Fly-back capacitor voltage	Spannung (Flyback)
V_{i}	Input voltage	Eingangsspannung
V_{o}	Output voltage	Ausgangssspannung
V_{op}	Operating voltage	Betriebsspannung
V_p	Peak pulse voltage	Impuls-Spitzenspannung
V_{pp}	Peak-to-peak voltage Impedance	Spannungshub
V_R	Rated voltage	Nennspannung
Ŷ _R	Amplitude of rated AC voltage	Amplitude der Nenn-Wechselspannung
V_{RMS}	(Sinusoidal) alternating voltage,	(Sinusförmige) Wechselspannung
	root-mean-square value	
V_{SC}	S-correction voltage	Spannung bei Anwendung "S-correction"
V_{sn}	Snubber capacitor voltage	Spannung bei Anwendung
		"Beschaltung"
Z	Impedance	Scheinwiderstand
е	Lead spacing	Rastermaß



Important notes

The following applies to all products named in this publication:

- 1. Some parts of this publication contain statements about the suitability of our products for certain areas of application. These statements are based on our knowledge of typical requirements that are often placed on our products in the areas of application concerned. We nevertheless expressly point out that such statements cannot be regarded as binding statements about the suitability of our products for a particular customer application. As a rule, EPCOS is either unfamiliar with individual customer applications or less familiar with them than the customers themselves. For these reasons, it is always ultimately incumbent on the customer to check and decide whether an EPCOS product with the properties described in the product specification is suitable for use in a particular customer application.
- 2. We also point out that in individual cases, a malfunction of electronic components or failure before the end of their usual service life cannot be completely ruled out in the current state of the art, even if they are operated as specified. In customer applications requiring a very high level of operational safety and especially in customer applications in which the malfunction or failure of an electronic component could endanger human life or health (e.g. in accident prevention or lifesaving systems), it must therefore be ensured by means of suitable design of the customer application or other action taken by the customer (e.g. installation of protective circuitry or redundancy) that no injury or damage is sustained by third parties in the event of malfunction or failure of an electronic component.
- 3. The warnings, cautions and product-specific notes must be observed.
- 4. In order to satisfy certain technical requirements, some of the products described in this publication may contain substances subject to restrictions in certain jurisdictions (e.g. because they are classed as hazardous). Useful information on this will be found in our Material Data Sheets on the Internet (www.epcos.com/material). Should you have any more detailed questions, please contact our sales offices.
- 5. We constantly strive to improve our products. Consequently, the products described in this publication may change from time to time. The same is true of the corresponding product specifications. Please check therefore to what extent product descriptions and specifications contained in this publication are still applicable before or when you place an order. We also reserve the right to discontinue production and delivery of products. Consequently, we cannot guarantee that all products named in this publication will always be available. The aforementioned does not apply in the case of individual agreements deviating from the foregoing for customer-specific products.
- 6. Unless otherwise agreed in individual contracts, all orders are subject to the current version of the "General Terms of Delivery for Products and Services in the Electrical Industry" published by the German Electrical and Electronics Industry Association (ZVEI).



Important notes

- 7. Our manufacturing sites serving the automotive business apply the IATF 16949 standard. The IATF certifications confirm our compliance with requirements regarding the quality management system in the automotive industry. Referring to customer requirements and customer specific requirements ("CSR") TDK always has and will continue to have the policy of respecting individual agreements. Even if IATF 16949 may appear to support the acceptance of unilateral requirements, we hereby like to emphasize that only requirements mutually agreed upon can and will be implemented in our Quality Management System. For clarification purposes we like to point out that obligations from IATF 16949 shall only become legally binding if individually agreed upon.
- 8. The trade names EPCOS, CeraCharge, CeraDiode, CeraLink, CeraPad, CeraPlas, CSMP, CTVS, DeltaCap, DigiSiMic, ExoCore, FilterCap, FormFit, LeaXield, MiniBlue, MiniCell, MKD, MKK, MotorCap, PCC, PhaseCap, PhaseCube, PhaseMod, PhiCap, PowerHap, PQSine, PQvar, SIFERRIT, SIFI, SIKOREL, SilverCap, SIMDAD, SiMic, SIMID, SineFormer, SIOV, ThermoFuse, WindCap are **trademarks registered or pending** in Europe and in other countries. Further information will be found on the Internet at www.epcos.com/trademarks.

Release 2018-06