

28184.8

PVC-TAA 20X48 K YE

PVC-TAA 20X48 K YE

---



Device and installation marker, Length: 48 mm, Width: 20 mm, Colour: Yellow

## Business data

---

Product description	Device and installation marker
Packaging unit	100
Quantity unit	PC
Number of markers per card	10
Weight per piece (not including packaging)	1.86
Weight per piece (including packaging)	1.86
Unit of weight	G
Customs number	39199080
Country of origin	IT

---

**28184.8**

**PVC-TAA 20X48 K YE**

**PVC-TAA 20X48 K YE**

## Technical Data

---

### Dimensions

---

Length	48 mm
--------	-------

Width	20 mm
-------	-------

---

### Materials

---

Marker material	PVC
-----------------	-----

Flammability class UL 94	V-0
--------------------------	-----

Working temperature, min.	-30 °C
---------------------------	--------

Working temperature, max.	60 °C
---------------------------	-------

Processing temperature, min.	10 °C
------------------------------	-------

Processing temperature, max.	40 °C
------------------------------	-------

Silicone-free	✓
---------------	---

---

### Further technical data

---

Mounting	Self-adhesive
----------	---------------

Software code	850
---------------	-----

---

28184.8

PVC-TAA 20X48 K YE

PVC-TAA 20X48 K YE

## Accessories

---

## Printer

---



Thermal transfer printer

## In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28000.0	TTPCard	4044211207397	1 PC

## Inlays

---



Printer inlay

## In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28041.0	CCI-PC/PVC/PVCF	4044211208097	1 PC