## **HellermannTyton**

## **Specification Sheet**

Part Number: RJ45FC6-FW



Category 6 Modular Keystone Jack, Plenum Rated, Office White, 1/pkg

| Article Number      | 852-25069   |
|---------------------|---|
| Туре                | RJ45FC6-FW  |
| Color               | Office White (OEWH)   |
| Features & Benefits | <ul> <li>Category 6 jack has been uniquely designed adopting<br/>HellermannTyton's globally tried and tested 10-Pin technology which<br/>guarantees superior performance and connectivity.</li> <li>Standard<br/>keystone style interface provides flexibility in connecting components.</li> <li>Unique strain relief design secures cable terminations.</li> <li>Configured<br/>to both TIA 568A and 568B wiring schemes for installation versatility.</li> <li>Suitable for air handling spaces, ideal for installation of WAPs and<br/>IP devices.</li> </ul> |
|                     |   |

| Product Description   | HellermannTyton's GigaBand flush Category 6 modular jack is<br>designed to "future-proof" installations. Its patented design uses<br>innovative crosstalk-cancellation technology. The performance of the<br>GigaBand system provides significant margin over TIA Category 6<br>(ANSI/TIA-568-C.1) and ISO Class E (ISO/IEC-11801, 2nd edition)<br>requirements. The GigaBand system will easily support applications<br>such as Gigabit Ethernet. ETL tested and approved for Category 6<br>component compliance. |
|---|--|
| Short Description   | Category 6 Modular Keystone Jack, Plenum Rated, Office White, 1/pkg  |
| Global Part Name  | RJ45FC6-FW   |
| Technical Description   | The performance of the Cat6 system provides significant margin over TIA Cat6 and ISO/IEC 11801 requirements.   |
|   |  |
|   |  |
| Port Count  | 1  |
| Width W (Imperial)  | 1<br>3.75  |
|   |  |
| Width W (Imperial)  | 3.75   |
| Width W (Imperial)<br>Width W (Metric)                        | 3.75<br>19.0   |
| Width W (Imperial)<br>Width W (Metric)<br>Height H (Imperial) | 3.75<br>19.0<br>3.91   |

| UL Listed (US and Canada)  | Yes        |
|----------------------------|------------|
| UL Listed (US              | Yes        |
|                            |            |
| Package Quantity(Imperial) | 1          |
| Package Quantity (Metric)  | 1          |
| Customs Number             | 8536695050 |
| Weight (Metric)            | 0.010      |
|                            |            |

© 2020 HellermannTyton. All Rights Reserved. Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions