# Heavy-Duty USB Sync/Charge Cable with Lightning Connector, 3 ft. (0.9 m)

MODEL NUMBER: **M100-003-HD**

Heavy-duty short Lightning cable with bulletproof Aramid fiber construction charges and synchronizes your latest-generation Apple iPhone, iPad or iPod using the USB port on your computer. Designed to stand up to rigorous and frequent use.

## Description
The M100-003-HD Heavy-Duty USB Sync/Charge Cable connects your latest-generation iPhone, iPad or iPod to the USB-A port on a computer or USB wall charger, so you can charge your Apple device and transfer data. The reversible 8-pin Lightning plug connects in either direction to ensure fast, easy connection every time. This short Lightning cable is constructed using bulletproof Aramid fiber. The cable's enhanced protection stands up to the strain of rigorous and frequent use. The double-braided nylon jacket and integral strain relief provide additional strength and flexibility to endure the stress and abuse of frequent use. The three-foot (0.9-meter) heavy-duty Lightning cable is MFi-certified for use with the latest generation of iPhone, iPad and iPod devices.

## Features
### Syncs and Charges Your Apple 8-Pin Electronic Devices

- Connects to USB-A port on computer or wall charger

- MFi-certified for use with the latest generation of iPhone, iPad and iPod devices

### Reversible Lightning Connector

- Fumble-free reversible Lightning plug connects in either direction for quick connection every time

### Heavy-Duty Construction with Bulletproof Aramid Fiber

- Cable is designed to stand up to strain of rigorous and frequent use

- Double-braided nylon jacket helps maintain top performance and long life

- Integral strain relief helps cable and connectors move freely without stress or cracking

## Highlights

- Cable with bulletproof Aramid fiber withstands strain of frequent use
- Connects to USB-A port on computer or wall charger
- MFi-certified for use with iPhone, iPad and iPod devices
- Nylon braiding maintains top performance and long life
- Reversible Lightning plug connects in either direction

## System Requirements

- Device or charger with USB-A port
- iPhone, iPad, iPad mini, iPad mini 2, iPad mini 3, iPad mini 4, iPad Air, iPad Air 2, iPad Pro 12.9 inch, iPad Pro 10.5 inch, iPad Pro 9.7 inch and iPod Touch devices with Lightning port

## Package Includes

- M100-003-HD Heavy-Duty USB Sync/Charge Cable with Lightning Connector, 3 ft.

# Specifications

| OVERVIEW | |
|---|---|
| UPC Code | 037332207302 |

| INPUT | |
|---|---|
| Cable Length (ft.) | 3 |
| Cable Length (m) | 0.9 |
| Cable Length (in.) | 36 |

| PHYSICAL | |
|---|---|
| Cable Jacket Rating | VW-1 |
| Cable Outer Diameter (OD) | 3.6mm |
| Color | Black; White |
| Material of Construction | PU, Nylon |
| Shipping Dimensions (hwd / cm) | 2.31 x 11.61 x 5.99 |
| Shipping Dimensions (hwd / in.) | 0.91 x 4.57 x 2.36 |
| Shipping Weight (kg) | 0.02 |
| Shipping Weight (lbs.) | 0.05 |
| Unit Packaging Type | Box |
| Wire Gauge (AWG) | 30/24 |

| ENVIRONMENTAL | |
|---|---|
| Operating Temperature Range | -4 to 140 F (-20 to 60 C) |
| Storage Temperature Range | -4 to 176 F (-20 to 80 C) |
| Relative Humidity | 0% to 90% RH, Non-Condensing |

| CONNECTIONS | |
|---|---|
| Side A - Connector 1 | USB A (MALE) |
| Side B - Connector 1 | LIGHTNING (MALE) |
| Connector Plating | Nickel |
| Contact Plating | Gold |

| FEATURES & SPECIFICATIONS | |
|---|---|
| USB Specification | USB 2.0 (up to 480 Mbps) |
| Technology | Lightning; USB |

| STANDARDS & COMPLIANCE | |
|---|---|
| Certifications | RoHS, CA65, REACH, MFi |

Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

3 / 3

| WARRANTY | |
|---|---|
| Product Warranty Period (Worldwide) | 2-year limited warranty |